	POPIII _I ATTO	N ESTIMATES	3	PRTMA	RY HEALTH C	ARE	LOCAL PUBLIC H	EALTH	
									Per
	1996 Popula			PRIMARY CARE Specialiti		Planet of any	Activities Reported	Number	10,000
Per	cent Female		49.8	Specialiti	es	Physicians			
			60	7.	7.1	-	Public Health Nursing	000	000
Popul	ation per sq	uare mile		Internal Me		7	Total clients	983	202
	k in state		26	General Pra		6	Total visits	2,868	588
	=highest pop			Obstetrics			Visits: Reason for		
/2	=lowest popu	lation dens	sity.)	Gyneco	Togy	2	Gen hlth promotion Infant/child hlth	574	118
				Pediatrics		1	Infant/child hlth	791	162
_		=		Family Prac	tice	<u>19</u>	Infectious & parasitic	27	
Age	Female	Male		Total		35	Circulatory	20	
0-14		5,060	9,950	_		_	Prenatal	622	_
15-19	1,730	1,860	3,590	Note: These a			Postpartum	713	146
20-24	1,300	1,480	2,780	practicing :					
25-29	1,240	1,430	2,670	proportion	may not pro	vide patient	WIC Participants	1,275	262
30-34	1,680	1,890	3,560	care on a f	ull time ba	sis.			
35-39	1,960	2,170	4,130				Clinic Visits	5,344	
40-44	1,830	2,140	3,970	L O N G	TERM	C A R E	Immunization	4,405	904
45-54	3,010	3,100	6,110	_	_	_	Blood pressure	•	•
55-64	2,250	2,110	4,360	Community Opt	ions and MA	Waiver			
65-74	2,100	1,860	3,970	Programs			Environmental Contacts		
75-84		1,060	2,650		<u> # Clients</u>	Costs	Env hazards Public health nuisance	673	138
85+	710	300	1,000	COP		\$375,480	Public health nuisance	440	90
Total	24,300	24,460	48,750	MA Waivers					
				CIP1A CIP1B	8	\$123,880	School Health		
				CIP1B	62	\$238,620	Vision screenings		•
Age	Female	Male	<u>Total</u>	CIP2 COP-W	12	\$63,440	Hearing screenings		•
0-17		6,210	12,170						
18-44		9,820	18,490	CSLA		\$21,780	Health Education		
45-64		5,210	10,470	Brain Inj	2	\$21,780	Community sessions	27	6
65+	4,400	3,220	7,620	Total COP/Wvr	s 202	\$1,040,240	Community attendance	578	119
Total	24,300	24,460	48,750				School sessions		
						Waiver costs	School attendance		•
				was paid as	local matc	h/overmatch			
	E M P L	OYMENT	Γ	using COP f			Staffing - FTEs		
				not include	d in above	COP costs.	Total staff	15	3.1
	Average wage						Administrators Public health nurses	1	0.4
	of work, not	place of 1	residence.	Home Health A	gencies	2		8	1.6
				Patients		298 61	Public health aides		
	e wage for j			Patients per	10,000 pop	61	Environmental specialis	ts .	
by Une	mployment Co	mpensation	\$21,221	_					
				Nursing Homes		5			
	<u>Force Estima</u>			Licensed bed		545	LOCAL PUBLIC HEAL	TH FUNDI	NG
Civil	ian labor fo	rce	27,225	Occupancy ra					Per
Num	ber employed		25,832	Residents on	12/31/96	495		Amount	<u>Capita</u>
Num	ber employed ber unemploy	red	1,393	Residents ag			Total funding \$	681,275	\$13.97
Un	ber unemploy employment r	ate	5.1%	per 1,000	population	62	Local taxes \$	416,155	\$8.54

TOTAL LIVE BIRTHS		616	Birth Order	<u>Birth</u> s	Percent	Marital Status		
			First	233	38	of Mother	Births	Percent
Crude Live Birth Rate	2	12.6	Second	206	33	Married	493	80
General Fertility Rat	te	63.2	Third	107	17	Not married	123	20
-			Fourth or higher	70	11	Unknown	0	0
Live births with repo	orted		Unknown	0	0			
congenital anomalies		9 1.0%				Education		
			First Prenatal			of Mother	Births	Percent
Delivery Type	Births	Percent	<u>Visit</u>	Births	Percent	Elementary or les	ss 15	2
Vaginal after			1st trimester	523	85	Some high school	55	9
previous cesarean	26	4	2nd trimester	77	13	High school	218	35
Forceps	6	<1	3rd trimester	11	2	Some college	191	31
Other vaginal	470	76	No visits	5	<1	College graduate	136	22
Primary cesarean	76	12	Unknown	0	0	Unknown	1	<1
Repeat cesarean	38	6						
Other or unknown	0	0	Number of Prenata	1		Smoking Status		
			Care visits	Births	Percent	of Mother	Births	Percent
	Births		No visits	5	<1	Smoker	135	22
<1,500 gm	8		1-4 visits	9	1	Nonsmoker	481	78
1,500-2,499 gm	32	5.2	5-9 visits	94	15	Unknown	0	0
2,500+ gm			10-12 visits	349	57			
Unknown	576 0	0.0	13+ visits	158	26			
			Unknown	1	<1			
			Low Birth Weight		The impact	er of First Prenata	7 7744	
	Total B	irths	(under 2.500 cm)	1st Tr				'Unknown
Race of Mother	Total B Births P		(under 2,500 gm) Births Percent		imester	2nd Trimester	Other/	Unknown Percent
	Births P	ercent	Births Percent	Births	imester Percent	2nd Trimester Births Percent	Other/ Births	Percent
White					imester	2nd Trimester Births Percent 76 12	Other/	
White Black	Births P	ercent 99	Births Percent 38 6.2	Births	imester Percent	2nd Trimester Births Percent	Other/ Births	Percent
White Black Other	Births P 610 0	ercent 99 0	Births Percent 38 6.2 . . 2 33.3	Births 518	mester Percent 85 . 83	2nd Trimester Births Percent 76 12 1 17	Other/ Births	Percent
White Black Other	Births P 610 0 6	99 0 <1	Births Percent 38 6.2	<u>Births</u> 518	imester Percent 85	2nd Trimester Births Percent 76 12 1 17	Other/ Births	Percent
White Black Other	Births P 610 0 6	99 0 <1	Births Percent 38 6.2 . . 2 33.3	Births 518	mester Percent 85 . 83	2nd Trimester Births Percent 76 12 1 17	Other/Births 16	Percent 3
White Black Other	Births P 610 0 6 0	99 0 <1	Births Percent 38 6.2 2 33.3	<u>Births</u> 518 5	mester Percent 85 . 83	2nd Trimester Births Percent 76 12 1 17	Other/Births 16	Percent
White Black Other Unknown	Births P 610 0 6 0	99 0 <1 0	Births Percent 38 6.2	Births 518 5	imester Percent 85 . 83 . Trimest	2nd Trimester Births Percent 76	Other/Births 16	Percent 3
White Black Other Unknown	Births P 610 0 6 0	99 0 <1 0	Births Percent 38 6.2	Births 518 5	imester Percent 85 83 Trimest imester	2nd Trimester Births Percent 76 12 1 17 ter of First Prenata 2nd Trimester Births Percent	Other/Births 16	Percent 3
White Black Other Unknown Age of Mother <15 15-17	Births P 610 0 6 0 Fe Births	99 0 <1 0	Births Percent 38 6.2	Births 518 5 5 5 1st Tribits	imester Percent 85 83 Trimest imester	2nd Trimester Births Percent 76 12 1 17 ter of First Prenata 2nd Trimester Births Percent 7 50	Other/Births 16 . al Visit Other/Births . 1	Percent 3
White Black Other Unknown Age of Mother <15	Births P 610 0 6 0 Fe Births	99 0 <1 0	Births Percent 38 6.2	Births 518 . 5 . 1st Tr: Births	mester Percent 85 . 83 . Trimestimester Percent	2nd Trimester Births Percent 76 12 1 17 ter of First Prenata 2nd Trimester Births Percent	Other/Births 16 . al Visit Other/Births	Percent 3
White Black Other Unknown Age of Mother <15 15-17	Births P 610 0 6 0 Fe Births	ercent 99 0 <1 0 rtility Rate	Births Percent 38 6.2 2 33.3 Low Birth Weight (under 2,500 gm) Births Percent	Births 518	mester Percent 85 . 83 . Trimestimester Percent . 43	2nd Trimester Births Percent 76 12 1 17 ter of First Prenata 2nd Trimester Births Percent 7 50	Other/Births 16 . al Visit Other/Births . 1 4 5	Percent 3
White Black Other Unknown Age of Mother <15 15-17 18-19	Births P 610 0 6 0 Fe Births 0 14 43	99 0 <1 0 *rtility Rate 	Births Percent 38 6.2	### 1518 518 55 55 1st Tr: ### Births 6 27	mester Percent 85 . 83 . Trimestimester Percent . 43 63	2nd Trimester Births Percent 76	Other/Births 16 . al Visit Other/Births . 1 4	Percent 3
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births P 610 0 6 0 Fe Births 0 14 43 125	ercent 99 0 <1 0 ertility Rate 65 96	Births Percent 38 6.2	### 1518 518 55 55 1st Tr: ### Births 6 27 100	mester Percent 85 83 Trimest imester Percent 43 63 80	2nd Trimester Births Percent 76 12 1 17 2nd Trimester Births Percent 7 50 12 28 20 16	Other/Births 16 . al Visit Other/Births . 1 4 5	Percent 3
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births P 610 0 6 0 Fe Births 0 14 43 125 191	ercent 99 0 <1 0 ertility Rate 65 96 154	Births Percent 38 6.2 2 33.3 Low Birth Weight (under 2,500 gm) Births Percent 1 7.1 7 16.3 6 4.8 7 3.7 13 8.0	### 1518 518 55 55 1st Tr: ### 100 170 146	mester Percent 85 83 Trimest imester Percent 43 63 80 89 90	2nd Trimester Births Percent 76 12 1 17 ter of First Prenata 2nd Trimester Births Percent 7 50 12 28 20 16 17 9	Other/Births 16 . al Visit Other/Births . 1 4 5 4	Percent 3
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Births P 610 0 6 0 Fe Births 0 14 43 125 191 163	rtility Rate 65 . 96 . 154 . 97	Births Percent 38 6.2 2 33.3 Low Birth Weight (under 2,500 gm) Births Percent 1 7.1 7 16.3 6 4.8 7 3.7 13 8.0 6 8.8	### 1518 518 55 55 1st Tr: ### 1518 66 27 100 170	mester Percent 85 83 Trimest imester Percent 43 63 80 89	2nd Trimester	Other/Births 16 . al Visit Other/Births . 1 4 5 4	Percent 3
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births P 610 0 6 0 Fe Births 0 14 43 125 191 163 68	ercent 99 0 <1 0 ertility Rate 65 96 154 97 35	Births Percent 38 6.2 2 33.3 Low Birth Weight (under 2,500 gm) Births Percent 1 7.1 7 16.3 6 4.8 7 3.7 13 8.0	### 1518 518 55 55 1st Tr: ### 100 170 146 65	mester Percent 85 83 Trimest imester Percent 43 63 80 89 90 96	2nd Trimester Births Percent	Other/Births 16 . al Visit Other/Births . 1 4 5 4	Percent 3
15-17 18-19 20-24 25-29 30-34 35-39	Births P 610 0 6 0 Fe Births 0 14 43 125 191 163 68 12	rtility Rate 65 . 96 . 154 . 97 . 35 .	Births Percent 38 6.2 2 33.3 Low Birth Weight (under 2,500 gm) Births Percent 1 7.1 7 16.3 6 4.8 7 3.7 13 8.0 6 8.8	### 1518 518 55 55 1st Tr: ### 100 170 146 65	mester Percent 85 83 Trimest imester Percent 43 63 80 89 90 96	2nd Trimester Births Percent	Other/Births 16 . al Visit Other/Births . 1 4 5 4	Percent 3

fetal deaths.

----- M O R B I D I T Y ---------- M O R T A L I T Y ------Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus

REPORTED CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	<5
Giardiasis	10
Hepatitis Type A	<5
Hepatitis Type B*	<5
Hepatitis NANB/C**	0
Legionnaire's	0
Lyme	0
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	0
Mumps	<5
Pertussis	<5
Salmonellosis	9
Shigellosis	0
Tuberculosis	0

- Includes HBV carriers
- Includes HCV screens

Sexually Transmitted Disease

Chlamydia Trachomatis	31
4	-
Genital Herpes	21
Gonorrhea	<5
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	0

----- I M M U N I Z A T I O N S ------

Children in Grades K-12 by Compliance Level

Compliant	11,104
Non-compliant	50
Percent Compliant	99.6

TOTAL DEATHS 505 Crude Death Rate 1,036

Age	Deaths	Rate
1-4	1	•
5-14	3	
15-19		
20-34	4	
35-54	30	211
55-64	34	781
65-74	97	2,446
75-84	166	6,259
85+	166	16,521

Infant

<u>Mortality</u>	Deaths	<u>Rate</u>
Total Infant	4	
Neonatal	3	
Post-neonatal	1	
Unknown		•

4	
•	

<u>Birth Weight</u>		
<1,500 gm	3	
1,500-2,499 gm		
2,500+ gm	1	•
Unknown		•

Perinatal		
Mortality	Deaths	Rate
Total Perinatal	5	
Neonatal	3	
Fetal	2	•

Selected

<u>Underlying Cause</u>	Deaths	Rate
Heart Disease (total)	165	338
Coronary heart disease	e 124	254
Cancer (total)	107	219
Lung	30	62
Colorectal	13	
Female breast	10	. *
Cerebrovascular Disease	e 60	123
Chron Obstr Pulmonary	22	45
Pneumonia & Influenza	17	
Injuries	28	57
Motor vehicle	10	
Diabetes	13	
Infectious & Parasitic	4	
Suicide	5	

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	1	
Other Drugs	7	
Both Mentioned	2	

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	671	7
Alcohol-Related	82	3
With Citation:		
For OWI	54	0
For Speeding	75	0
Motorcyclist	14	1
Bicyclist	8	0
Pedestrian	21	0

------ H O S P I T A L I Z A T I O N S ------

529 59 131 121 218 cture 67 57 ngs 32 14	10.9 4.8 7.1 11.6 28.6 1.4 7.5	5.1 4.4 4.7 5.1 5.5 6.4 6.7	\$10,216 \$9,276 \$11,428 \$10,496 \$9,587 \$11,339	\$111 \$45 \$81 \$121 \$274	Alcohol-Relate Total 18-44 45-64 Pneumonia and	101 56 30	2.1 3.0 2.9	5.6 5.5 4.1	\$4,205 \$3,509	\$9 \$11
529 59 131 121 218 cture 67 57 ngs	4.8 7.1 11.6 28.6 1.4 7.5	4.4 4.7 5.1 5.5	\$9,276 \$11,428 \$10,496 \$9,587	\$45 \$81 \$121	18-44 45-64	56	3.0	5.5	\$3,509	
59 131 121 218 cture 67 57 ngs 32	4.8 7.1 11.6 28.6 1.4 7.5	4.4 4.7 5.1 5.5	\$9,276 \$11,428 \$10,496 \$9,587	\$45 \$81 \$121	18-44 45-64		3.0	5.5	\$3,509	
131 121 218 cture 67 57 ngs	7.1 11.6 28.6 1.4 7.5	4.7 5.1 5.5 6.4	\$11,428 \$10,496 \$9,587	\$81 \$121	45-64					PTT
121 218 cture 67 57 ngs 32	11.6 28.6 1.4 7.5	5.1 5.5 6.4	\$10,496 \$9,587	\$121					\$3,828	\$11
218 cture 67 57 ngs	28.6 1.4 7.5	5.5 6.4	\$9,587		Pneumonia and				40,000	7
cture 67 57 ngs 32	1.4 7.5	6.4		Y 2 / 1		Influenza				
67 57 ngs 32	7.5		¢11 220		Total	229	4.7	5.8	\$7,401	\$35
57 ngs 32	7.5			\$16	<18	22	1.8	3.0	\$4,247	\$8
ngs 32		0.7	\$11,589	\$87	45-64	26	2.5	5.1	\$8,184	\$20
32	0.7		γ11,302	γ 0 /	65+	157	20.6	6.3	\$7,762	\$160
_		2.6	\$3,419	\$2	05+	137	20.0	0.5	Ş7,70Z	\$100
14			\$3, 4 19		Cerebrovascula	Di				
	•	•	•	•			4 2	г о	ĊO 10E	420
					Total	208	4.3	5.9	\$9,195	\$39
004		100	+	+00	45-64	36	3.4		\$14,601	\$50
224	4.6	10.0	\$6,386	\$29	65+	164	21.5	5.6	\$7 , 708	\$166
40	3.3	14.5	\$9,933	\$33						
109	5.9	6.4	\$3,863	\$23	Chronic Obstru					
28	2.7	13.5	\$9,010	\$24	Total	127	2.6	4.3	\$5,788	\$15
47	6.2	12.3	\$7 , 657	\$47	<18	12	•		•	•
					18-44	23	1.2	2.9	\$3,674	\$5
sease					45-64	28	2.7	4.3	\$5,940	\$16
338	6.9	5.0	\$13,824	\$96	65+	64	8.4	5.4	\$7,221	\$61
116	11.1	4.6		\$171						
204	26.8		\$12,694		Drug-Related					
65+ 204 26.8 5.2 \$12,694 \$340	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		17		_	_				
ms (Can	cers):	A11					•	•	-	
-	-		\$11 645	\$54	10 11		•	•	•	•
					Total Hospital	izations				
							121 0	1 2	¢6 9/10	\$835
					1					\$269
										\$449
					1					•
		2.0	\$4,880	\$4						\$897
		0 1	410 000	411	65+	2,284	299.6	5.4	\$8,643	\$2,590
	2.9	9.7	\$19,771	\$57						
					1					\$109
Total 23 0.5 5.1 \$9,476 \$4		99				\$23				
					18-44	119	6.4	3.4		\$28
					45-64	136	13.0	4.7	\$7,886	\$102
73	1.5	4.8	\$6,751	\$10	65+	509	66.8	5.4	\$6,788	\$453
25	3.3	6.1	\$9,024	\$30						•
-					* Hospitalization	s for cond	itions	where ti	imely and	effective
1	116 204 as (Can 226 27 57 139 Le Brea 22 -rectal 27 22 23	116 11.1 204 26.8 as (Cancers): 226 4.6 27 1.5 57 5.4 139 18.2 le Breast (ra 22 0.9 -rectal 27 0.6 22 2.9 23 0.5	116 11.1 4.6 204 26.8 5.2 as (Cancers): All 226 4.6 6.3 27 1.5 5.8 57 5.4 4.9 139 18.2 7.2 Le Breast (rates for 22 0.9 2.0 -rectal 27 0.6 9.1 22 2.9 9.7 23 0.5 5.1 73 1.5 4.8	116 11.1 4.6 \$15,454 204 26.8 5.2 \$12,694 as (Cancers): All 226 4.6 6.3 \$11,645 27 1.5 5.8 \$12,687 57 5.4 4.9 \$8,856 139 18.2 7.2 \$12,700 Le Breast (rates for female por position of the position of t	116 11.1 4.6 \$15,454 \$171 204 26.8 5.2 \$12,694 \$340 as (Cancers): All 226 4.6 6.3 \$11,645 \$54 27 1.5 5.8 \$12,687 \$19 57 5.4 4.9 \$8,856 \$48 139 18.2 7.2 \$12,700 \$232 Le Breast (rates for female population) 22 0.9 2.0 \$4,880 \$4 -rectal 27 0.6 9.1 \$18,992 \$11 22 2.9 9.7 \$19,771 \$57 23 0.5 5.1 \$9,476 \$4 73 1.5 4.8 \$6,751 \$10	116 11.1 4.6 \$15,454 \$171 204 26.8 5.2 \$12,694 \$340 INS (Cancers): All 226 4.6 6.3 \$11,645 \$54 27 1.5 5.8 \$12,687 \$19 57 5.4 4.9 \$8,856 \$48 139 18.2 7.2 \$12,700 \$232 Le Breast (rates for female population) 22 0.9 2.0 \$4,880 \$4 -rectal 27 0.6 9.1 \$18,992 \$11 22 2.9 9.7 \$19,771 \$57 P R E V E N T A Total P R E V E N T A Total	116 11.1 4.6 \$15,454 \$171 204 26.8 5.2 \$12,694 \$340 Ins (Cancers): All 226 4.6 6.3 \$11,645 \$54 27 1.5 5.8 \$12,687 \$19 57 5.4 4.9 \$8,856 \$48 139 18.2 7.2 \$12,700 \$232 ILE Breast (rates for female population) 22 0.9 2.0 \$4,880 \$4 -rectal 27 0.6 9.1 \$18,992 \$11 22 2.9 9.7 \$19,771 \$57 PREVENTABLE H Total 863 3 3 1.5 4.8 \$6,751 \$10 25 3.3 6.1 \$9,024 \$30 * Hospitalizations for cond	116 11.1 4.6 \$15,454 \$171 204 26.8 5.2 \$12,694 \$340 Ins (Cancers): All 226 4.6 6.3 \$11,645 \$54 27 1.5 5.8 \$12,687 \$19 57 5.4 4.9 \$8,856 \$48 139 18.2 7.2 \$12,700 \$232 Le Breast (rates for female population) 22 0.9 2.0 \$4,880 \$4 -rectal 27 0.6 9.1 \$18,992 \$11 22 2.9 9.7 \$19,771 \$57 PREVENTABLE HOSPITALIZATIONS Total Hospitalizations 45-64 1,073 102.5 65+ 2,284 299.6 PREVENTABLE HOSPI Total 863 17.7 <18 99 8.1 18-44 119 6.4 45-64 136 13.0 65+ 509 66.8 * Hospitalizations for conditions * Hospitalizations for conditions	116 11.1 4.6 \$15,454 \$171 204 26.8 5.2 \$12,694 \$340 INS (Cancers): All 226 4.6 6.3 \$11,645 \$54 27 1.5 5.8 \$12,687 \$19 57 5.4 4.9 \$8,856 \$48 139 18.2 7.2 \$12,700 \$232 Le Breast (rates for female population) 22 0.9 2.0 \$4,880 \$4 27 0.6 9.1 \$18,992 \$11 22 2.9 9.7 \$19,771 \$57 23 0.5 5.1 \$9,476 \$4 73 1.5 4.8 \$6,751 \$10 25 3.3 6.1 \$9,024 \$30 * Hospitalizations Drug-Related Total 17 . 18-44 11 . 18-44 11 . 18-44 1,623 87.8 3.4 45-64 1,073 102.5 4.5 65+ 2,284 299.6 5.4 PREVENTABLE HOSPITAL: Total 863 17.7 4.7	116 11.1 4.6 \$15,454 \$171 204 26.8 5.2 \$12,694 \$340 Ins (Cancers): All 226 4.6 6.3 \$11,645 \$54 27 1.5 5.8 \$12,687 \$19 57 5.4 4.9 \$8,856 \$48 139 18.2 7.2 \$12,700 \$232 Le Breast (rates for female population) 22 0.9 2.0 \$4,880 \$4 -rectal 27 0.6 9.1 \$18,992 \$11 22 2.9 9.7 \$19,771 \$57 PREVENTABLE HOSPITALE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATI Total 863 17.7 4.7 \$6,160 square PREVENTABLE HOSPITALIZATIONS PREVENTABLE HOSPITALIZATIONS PREVENTABLE HOSPITALIZATIONS PREVENTABLE HOSPITALIZATIONS PREVENTABLE HOSPITALIZATIONS PREVENTABLE HOSPITALIZATIONS